

Sample Name:

Report Number:

Report Date: 26-Jul-2017

. . .

Final

1877051-0

Report Status:

6223314

Supercedes: 1870096-0

Certificate of Analysis

Covance Sample:

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

ORGANIC SPIRULINA TABLET BNO-

	ST006D17		
Project ID PO Number Sample Serving Size	PARRY_NUTR-20170609-0004 CVD 100 g	Receipt Date Receipt Condition Login Date	09-Jun-2017 Ambient temperature 09-Jun-2017
June 2011 111 9 0120	G .	Online Order	10
Analysis			Result
Calculated Sample	Weight *		
Entity Weight			0.5077 g
Entity Weight			0.5077 g
Entity Weight			0.5056 g
Calories			
Calories			381 Cal/Serving size
Calories from Fat			
Calories			50.7 Cal/Serving size
Fat by Acid Hydroly	rsis		
Fat			6.8 g/Serving Size
Fatty Acids Calcula	ted as Triglycerides		
Saturated Fatty Ac			2.74 %
Total Cis Unsaturated Fatty Acids (Acid Form)			2.58 %
	Monounsaturated Fatty Acids (Acid Form)		0.352 %
	Polyunsaturated Fatty Acids (Acid Form)		2.23 %
Trans Fatty Acids (Acid Form)			0.051 %
Omega 3 Fatty Aci	Omega 3 Fatty Acids		0.007 %
Omega 6 Fatty Aci	ds		2.33 %
Omega 9 Fatty Aci	ds		0.143 %
Total Fatty Acids			5.63 %
4:0 Butyric			<0.007 %
6:0 Caproic			<0.007 %
8:0 Caprylic			<0.007 %
10:0 Capric			<0.007 %
12:0 Lauric			<0.007 %
14:0 Myristic			0.030 %
14:1 Myristoleic			<0.007 %
15:0 Pentadecanoi			0.015 %
15:1 Pentadecenoi	С		<0.007 %
16:0 Palmitic			2.72 %
16:1 Palmitoleic			0.186 %
17:0 Heptadecanoi			0.016 %
17:1 Heptadecenoi	С		<0.007 %
18:0 Stearic			0.091 %
9c 18:1 Oleic			0.143 %
18:2 Linoleic			1.11 %

* This analysis is not ISO accredited.



Supercedes:

Report Date: 26-Jul-2017

1877051-0

1870096-0

teport Date. 20%

Report Status: Final

Certificate of Analysis

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Sample Name:	ORGANIC SPIRULINA TABLET BNO- ST006D17	Covance Sample:	6223314
Project ID	PARRY_NUTR-20170609-0004	Receipt Date	09-Jun-2017
PO Number	CVD	Receipt Condition	Ambient temperature
Sample Serving Size	100 g	Login Date	09-Jun-2017
		Online Order	10

	Online Order
Analysis	Result
Fatty Acids Calculated as Triglycerides	
18:3 Gamma Linolenic	1.20 %
18:3 Linolenic	0.007 %
18:4 Octadecatetraenoic	<0.007 %
20:0 Arachidic	<0.007 %
20:1 Eicosenoic	<0.007 %
20:2 Eicosadienoic	<0.007 %
20:3 Eicosatrienoic (n3)	<0.007 %
20:3 Homogamma Linolenic (n6)	0.008 %
20:4 Arachidonic (n3)	<0.007 %
20:4 Arachidonic (n6)	0.008 %
20:5 Eicosapentaenoic	<0.007 %
21:5 Heneicosapentaenoic	<0.007 %
22:0 Behenic	<0.007 %
22:1 Erucic	<0.007 %
22:2 Docosadienoic	<0.007 %
22:3 Docosatrienoic	<0.007 %
22:4 Docosatetraenoic	<0.007 %
22:5 Docosapentaenoic (n3)	<0.007 %
22:5 Docosapentaenoic (n6)	<0.007 %
22:6 Docosahexaenoic	<0.007 %
24:0 Lignoceric	<0.007 %
24:1 Nervonic	<0.007 %
Total 18:1 trans	0.010 %
Total 18:1 cis	0.184 %
Total 18:2 trans	0.033 %
Total 18:3 trans	0.009 %
Carbohydrates	
Total Carbohydrates	14.7 g/Serving Size
Protein (N x 6.25) Dumas Method	
Protein	71.5 % (on Dry Basis)
Total Vitamin A	
Total Vitamin A	200000 IU/Serving size
Vitamin A from Carotenes *	
Vitamin A From Carotene	245000 IU/Serving size
Carotenes	

^{*} This analysis is not ISO accredited.



26-Jul-2017 Report Date:

Final

1877051-0

Report Status:

1870096-0 Supercedes:

Certificate of Analysis

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Sample Name:	ORGANIC SPIRULINA TABLET BNO- ST006D17	Covance Sample:	6223314
Project ID	PARRY_NUTR-20170609-0004	Receipt Date	09-Jun-2017
PO Number	CVD	Receipt Condition	Ambient temperature
Sample Serving Size	100 g	Login Date	09-Jun-2017
		Online Order	10
Analysis			Result

Analysis	Result
Carotenes	
Beta Carotene	147000 mcg/Serving Size
Lutein	5240 mcg/Serving Size
Zeaxanthin	92000 mcg/Serving Size
Elements by ICP Emission Spectrometry	
Calcium	141 mg/Serving Size
Copper	0.372 mg/Serving Size
Iron	47.4 mg/Serving Size
Magnesium	292 mg/Serving Size
Manganese	3.37 mg/Serving Size
Phosphorus	1010 mg/Serving Size
Potassium	1480 mg/Serving Size
Sodium	681 mg/Serving Size
Zinc	1.72 mg/Serving Size
Vitamin D by LCMS	
Total Vitamin D3	<4.00 IU/Serving size
Total Vitamin D2	<2.00 IU/Serving size
Vitamin A *	
Vitamin A as Acetate	<10000 IU/Serving size
Vitamin E (Natural)	
Vitamin E	6.90 IU/Serving size
Vitamin K1	
Vitamin K1	2080 mcg/Serving Size
Thiamin by Fluorometric Method	·
Thiamin	2.66 mg/Serving Size
Riboflavin by Microbiological Method	
Riboflavin	4.87 mg/Serving Size
Niacin by Microbiological Method	ů ů
Niacin	19.7 mg/Serving Size
Pyridoxine	
Pyridoxine	0.681 mg/Serving Size
Folic Acid by Microbiological Method	0.00 mg/ 00.1 mg 0.20
Folates (may contain folic acid)	102 mcg/Serving Size
Vitamin B12 by Microbiological Method	102 mogrociving dize
Vitamin B12 by Microbiological Method Vitamin B12	266 mcg/Serving Size
VIGITIII D12	200 Micg/Set Virig Size

* This analysis is not ISO accredited.



Supercedes:

Report Date: 26-Jul-2017

Report Status:

1870096-0

1877051-0

Final

Certificate of Analysis

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Sample Name:	ORGANIC SPIRULINA TABLET BNO- ST006D17	Covance Sample:	6223314
Project ID	PARRY_NUTR-20170609-0004	Receipt Date	09-Jun-2017
PO Number	CVD	Receipt Condition	Ambient temperature
Sample Serving Size	100 g	Login Date	09-Jun-2017
, ,		Online Order	10

Biotin 10.6 mcg/Serving Size Pantothenic Acid by Microbiological Method 2.48 mg/Serving Size Pantothenic Acid 2.48 mg/Serving Size nositol 96.9 mg/Serving Size Amino Acids 1 Aspartic Acid 6140 mg/Serving Size Threonine 3150 mg/Serving Size Glutamic Acid 8900 mg/Serving Size Glutamic Acid 8900 mg/Serving Size Glycine 2470 mg/Serving Size Glycine 2470 mg/Serving Size Alanine 4760 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Isoleucine 3750 mg/Serving Size Leucine 3770 mg/Serving Size Phenylalanine 3900 mg/Serving Size Lysine 3050 mg/Serving Size Phenylalanine 3050 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Cystine 3650 mg/Serving Size Methionine 1040 mg/Serving Size Tryptophan 426 Sab		Online Order	10
Biotin 10.6 mog/Serving Size Pantothenic Acid by Microbiological Method 2.48 mg/Serving Size Pantothenic Acid 96.9 mg/Serving Size Inostol 96.9 mg/Serving Size Amino Acids 4.50 mg/Serving Size Threonine 3180 mg/Serving Size Serine 3050 mg/Serving Size Glutamic Acid 8900 mg/Serving Size Proline 2470 mg/Serving Size Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Valine 390 mg/Serving Size Tyrosine 390 mg/Serving Size Tyrosine 390 mg/Serving Size Hestidine 1040 mg/Serving Size Histidine 1040 mg/Serving Size Argini	Analysis		Result
Pantothenic Acid by Microbiological Method 2.48 mg/Serving Size nositol* Inositol 96.9 mg/Serving Size Amino Acids 4.18 mg/Serving Size Amino Acids 4.18 mg/Serving Size Aspartic Acid 6.140 mg/Serving Size Serine 3.180 mg/Serving Size Glutamic Acid 8900 mg/Serving Size Proline 2470 mg/Serving Size Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Isoleucine 3730 mg/Serving Size Leucine 3970 mg/Serving Size Phenylalanine 2930 mg/Serving Size Usyline 3040 mg/Serving Size Lysine 3050 mg/Serving Size Lysine 3050 mg/Serving Size Lysine 3050 mg/Serving Size Lysine 4660 mg/Serving Size Tryptophan 4860 mg/Serving Size <tr< td=""><td>Biotin by Microbiological Method</td><td></td><td></td></tr<>	Biotin by Microbiological Method		
Pantothenic Acid 2.48 mg/Serving Size nositol* 96.9 mg/Serving Size Amino Acids 3180 mg/Serving Size Aspartic Acid 6140 mg/Serving Size Threonine 3180 mg/Serving Size Gultamic Acid 8900 mg/Serving Size Glutamic Acid 8900 mg/Serving Size Proline 2470 mg/Serving Size Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Heuchine 5970 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 1040 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 584 mg/Serving Size Cystine 4600 mg/Serving Size Methionine 988 mg/Serving Size Typtophan	Biotin		10.6 mcg/Serving Size
Inosito 1	Pantothenic Acid by Microbiological Method		
Inosito 1	Pantothenic Acid		2.48 mg/Serving Size
Amino Acids Aspartic Acid 6140 mg/Serving Size Threonine 3180 mg/Serving Size Serine 3050 mg/Serving Size Glutamic Acid 8900 mg/Serving Size Proline 2470 mg/Serving Size Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Valine 3730 mg/Serving Size Isoleucine 3730 mg/Serving Size Isoleucine 3970 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Tryptophan 988 mg/Serving Size Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Page No. 614 Page No. 614	Inositol *		
Amino Acids Aspartic Acid 6140 mg/Serving Size Threonine 3180 mg/Serving Size Serine 3050 mg/Serving Size Glutamic Acid 8900 mg/Serving Size Proline 2470 mg/Serving Size Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Valine 3730 mg/Serving Size Isoleucine 3730 mg/Serving Size Isoleucine 3970 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Tryptophan 988 mg/Serving Size Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Page No. 614 Page No. 614	Inositol		96.9 mg/Serving Size
Threonine 3180 mg/Serving Size Serine 3050 mg/Serving Size Glutamic Acid 8900 mg/Serving Size Proline 2470 mg/Serving Size Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Isoleucine 3730 mg/Serving Size Leucine 5970 mg/Serving Size Leucine 5970 mg/Serving Size Tyrosine 3040 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Tryptophan 988 mg/Serving Size Ash 6.70 % Ash 6.70 % Loss On Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Page No. 614 Page No.	Amino Acids		3 3
Threonine 3180 mg/Serving Size Serine 3050 mg/Serving Size Glutamic Acid 8900 mg/Serving Size Proline 2470 mg/Serving Size Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Isoleucine 3730 mg/Serving Size Leucine 5970 mg/Serving Size Leucine 5970 mg/Serving Size Tyrosine 3040 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Tryptophan 988 mg/Serving Size Ash 6.70 % Ash 6.70 % Loss On Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Page No. 614 Page No.	Aspartic Acid		6140 mg/Serving Size
Serine 3050 mg/Serving Size Glutamic Acid 8900 mg/Serving Size Proline 2470 mg/Serving Size Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Isoleucine 3730 mg/Serving Size Leucine 5970 mg/Serving Size Tyrosine 3040 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Tryptophan 988 mg/Serving Size Ash* 6.70 % -oss on Drying* 5.0 g/Serving Size Loss On Drying 5.0 g/Serving Size Page No. 614 Page No. 614 Page No. 614	•		
Glutamic Acid 8900 mg/Serving Size Proline 2470 mg/Serving Size Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Isoleucine 3730 mg/Serving Size Leucine 5970 mg/Serving Size Tyrosine 3040 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Agrinine 4660 mg/Serving Size Methionine 584 mg/Serving Size Tryptophan 584 mg/Serving Size Ash * 426 Ash 6.70 % Loss On Drying * 5.0 g/Serving Size Loss On Drying 5.0 g/Serving Size Page No. 614 Page No. 614 Page No. 614 Page No. 614			<u> </u>
Proline 2470 mg/Serving Size Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Isoleucine 3730 mg/Serving Size Leucine 5970 mg/Serving Size Leucine 5970 mg/Serving Size Tyrosine 3040 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Methionine 1400 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Ash 6.70 % Ash 6.70 % Loss On Drying 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count *			
Glycine 3270 mg/Serving Size Alanine 4760 mg/Serving Size Valine 3750 mg/Serving Size Isoleucine 3730 mg/Serving Size Leucine 5970 mg/Serving Size Tyrosine 3040 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 660 mg/Serving Size Methionine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Ash* 426 Ash 6.70 % .oss on Drying* 5.0 g/Serving Size Loss On Drying 5.0 g/Serving Size Page No. 614 Aerobic Plate Count* 614	Proline		•
Valine 3750 mg/Serving Size Isoleucine 3730 mg/Serving Size Leucine 5970 mg/Serving Size Tyrosine 3040 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Lysine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Ash * 426 Page No. 426 Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count *	Glycine		
Isoleucine 3730 mg/Serving Size Leucine 5970 mg/Serving Size Tyrosine 3040 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Ash * 6.70 % Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count * 614	Alanine		4760 mg/Serving Size
Isoleucine 3730 mg/Serving Size Leucine 5970 mg/Serving Size Tyrosine 3040 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Ash * 6.70 % Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count * 614	Valine		3750 mg/Serving Size
Tyrosine 3040 mg/Serving Size Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614	Isoleucine		
Phenylalanine 2930 mg/Serving Size Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Ash * 426 Page No. 426 Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Page No. 614 Aerobic Plate Count * 614	Leucine		5970 mg/Serving Size
Lysine 3050 mg/Serving Size Histidine 1040 mg/Serving Size Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Ash * 426 Page No. 426 Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count * 614	Tyrosine		3040 mg/Serving Size
Histidine 1040 mg/Serving Size 4660 mg/Serving Size Cystine 584 mg/Serving Size Typtophan 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Ash * Page No. 426 Ash 6.70 %	Phenylalanine		2930 mg/Serving Size
Arginine 4660 mg/Serving Size Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size 140	Lysine		3050 mg/Serving Size
Cystine 584 mg/Serving Size Methionine 1400 mg/Serving Size Tryptophan 988 mg/Serving Size Ash * 988 mg/Serving Size Page No. 426 Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count *	Histidine		1040 mg/Serving Size
Methionine 1400 mg/Serving Size Tryptophan Tryptophan 988 mg/Serving Size Ash * Page No. 426 Ash 6.70 % Loss on Drying * Loss On Drying 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count *	Arginine		4660 mg/Serving Size
Tryptophan 988 mg/Serving Size Ash * Page No. 426 Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count *	Cystine		584 mg/Serving Size
Tryptophan 988 mg/Serving Size Ash * 426 Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count * 614	Methionine		1400 mg/Serving Size
Ash * Page No. 426 Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count * 614	Tryptophan		
Page No. 426 Ash 6.70 % Loss on Drying * 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count * 614	Tryptophan		988 mg/Serving Size
Ash Loss on Drying * Loss On Drying Loss On Drying Size Page No. Page No. Aerobic Plate Count *	Ash *		
Ash Loss on Drying * Loss On Drying Size Page No. Page No. Aerobic Plate Count * 6.70 % 5.0 g/Serving Size 614 614	Page No.		426
Loss On Drying 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count * 614	-		6.70 %
Loss On Drying 5.0 g/Serving Size Page No. 614 Page No. 614 Aerobic Plate Count * 614	Loss on Drying *		
Page No. 614 Page No. 614 Aerobic Plate Count *			5.0 g/Serving Size
Page No. 614 Aerobic Plate Count *	· ·		
Aerobic Plate Count *			614
	Aerobic Plate Count *		
	Aerobic Plate Count		6000 CFU/g

* This analysis is not ISO accredited.



1877051-0

Final

Report Date: 26-Jul-2017

Report Status:

Supercedes: 1870096-0

Certificate of Analysis

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Sample Name:	ORGANIC SPIRULINA TABLET BNO- ST006D17	Covance Sample:	6223314
Project ID PO Number Sample Serving Size	PARRY_NUTR-20170609-0004 CVD 100 g	Receipt Date Receipt Condition Login Date Online Order	09-Jun-2017 Ambient temperature 09-Jun-2017 10
Analysis		Offinite Officer	Result
E. coli *			Result
Escherichia Coli			Absent /10 g
	(Bile-Tolerant Gram-Negative Bacteria) *		/ toodit / To g
Enterobacterial Co			<10 MPN/g
Salmonella USP *			10 111 11/9
Salmonella			Absent /10 g
Staphylococcus *			, we see that the g
Staphylococcus Au	ireus		Absent /10 g
Yeast and Mold Cou			, we see that the g
Yeast Count			<10 CFU/g
Mold Count			<10 CFU/g
Elements by ICP Ma	ass Spectrometry		· ·
Arsenic	•		41.6 ppb
Cadmium			7.24 ppb
Chromium *			218 ppb
Lead			67.3 ppb
Tin *			26.7 ppb
Mercury			<5.00 ppb
lodine by ICP-MS			
lodine			163 mcg/Serving Size
Selenium *			
Selenium			6.28 mcg/Serving Size
Chlorophyll by Von	shak Method *		
Chlorophyll a			1.77 %
Content of C-Phyco	cyanin (Spirulina- USP) *		
Result			7.3%
Nitrogen determina	tion *		
Nitrogen, Kjeldahl (Protein (N x 6.25) o			10.9 % 68.1 %
Method References			Testing Location

Aerobic Plate Count (USPC2021)

Covance Laboratories - Madison NE

* This analysis is not ISO accredited.



Report Number: 1877051-0

Report Date: 26-Jul-2017

Report Status: Final

Supercedes: 1870096-0

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Method References Testing Location

Aerobic Plate Count (USPC2021)

Covance Laboratories - Madison NE

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Amino Acids (TAALC_S)

Covance Laboratories - Madison

R. Schuster, "Determination of Amino Acids in Biological, Pharmaceutical, Plant and Food Samples by Automated Precolumn Derivatization and HPLC", Journal of Chromatography, 1988, 431, 271-284.

Henderson, J.W., Ricker, R.D. Bidlingmeyer, B.A., Woodward, C., "Rapid, Accurate, Sensitive, and Reproducible HPLC Analysis of Amino Acids, Amino Acid Analysis Using Zorbax Eclipse-AAA columns and the Agilent 1100 HPLC," Agilent Publication, 2000. Barkholt and Jensen, "Amino Acid Analysis: Determination of Cysteine plus Half-Cystine in Proteins after Hydrochloric Acid Hydrolysis with a Disulfide Compound as Additive", Analytical Biochemistry, 177, 318-322 (1989).

Henderson, J.W., Brooks, A., "Improved Amino Acid Methods using Agilent Zorbax Eclipse Plus C18 Columns for a Variety of Agilent LC Instrumentation and Separation Goals," Agilent Application Note 5990-4547 (2010).

Ash (ASHTOTAL_S)

Covance Laboratories - Madison

United States Pharmacopeia, 40th Revision - National Formulary 35th Edition. USP Convention. Rockville, MD (2016). (Modified).

Biotin by Microbiological Method (BIOM_S)

Covance Laboratories - Madison

Scheiner, J. and De Ritter, E., "Biotin Content of Feedstuffs," *Journal of Agricultural and Food Chemistry*, 23(6): 1157-1162 (1975). (Modified)

Wright, L.D., Skeggs, H.R., "Determination of Biotin with Lactobacillus arabinosis," *Procedures of the Society of Experimental Biology and Medicine*, 56:95-98 (1944). (Modified)

Free Biotin, Section C-13, Methods of Analysis for Infant Formulas, Infant Formula Council, (1985). (Modified)

Scheiner, J., "Extraction of Added Biotin From Animal Feed Premix," Journal of the AOAC, 49(4):882-883, (1996). (Modified)

Calculated Sample Weight (PREP)

Covance Laboratories - Madison

Calories (CALC)

Covance Laboratories - Madison

Code of Federal Regulations, Title 21, Part 101.9, pp. 24-25.

* This analysis is not ISO accredited.



Report Number: 1877051-0

Report Date: 26-Jul-2017

Report Status: Final

Supercedes: 1870096-0

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Method References Testing Location

Calories from Fat (CFAT) Covance Laboratories - Madison

Code of Federal Regulations, Title 21, Part 101.9, pp. 24-25.

Carbohydrates (CHO) Covance Laboratories - Madison

United States Department of Agriculture, "Energy Value of Foods", Agriculture Handbook No. 74, pp. 2-11, (1973).

Carotenes (CAR1_S)

Covance Laboratories - Madison

Official Methods of Analysis, Method 2005.07, AOAC INTERNATIONAL, (modified).

Quackenbush, F. W., "Reverse Phase HPLC Separation of cis- and trans-Carotenoids and Its Application to Beta Carotenes in Food Materials," *Journal of Liquid Chromatography*,

10: 643-653 (1987) (modified).

Carotenes (CAR2_S) Covance Laboratories - Madison

Official Methods of Analysis of AOAC INTERNATIONAL (2005) 18th Ed., AOAC INTERNATIONAL, Gaithersburg, MD, USA, Official Method 941.15.

Quackenbush, F. W., Journal of Liquid Chromatography, 10:643-653, (1987). (Modified)

Chlorophyll by Vonshak Method (MISC_4016)

Covance Laboratories - Madison

Client supplied: Vonshak. A. (1997). Spirulina platensis (Arthrospira) Physiology, cell-biology and biotechnology. 214 (modified).

Content of C-Phycocyanin (Spirulina- USP) (MISC_MONO)

Covance Laboratories - Madison

United States Pharmacopeia, 40th Revision - National Formulary 35th Edition. USP Convention. Rockville, MD (2016). (Modified).

E. coli (USPE2022)

Covance Laboratories - Madison NE

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Elements by ICP Emission Spectrometry (ICP_S)

Covance Laboratories - Madison

Official Methods of Analysis of AOAC INTERNATIONAL, Method 984.27, 985.01, and 2011.14, AOAC INTERNATIONAL, Gaithersburg, MD, USA. (Modified)

* This analysis is not ISO accredited.

Printed: 26-Jul-2017 2:35 pm

Page 7 of 12



Report Number: 1877051-0

Report Date: 26-Jul-2017

Report Status: Final

Supercedes: 1870096-0

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Method References Testing Location

Elements by ICP Mass Spectrometry (ICP MS S)

Covance Laboratories - Madison

Official Methods of Analysis, Method 2011.19 and 993.14, AOAC INTERNATIONAL, (Modified).

Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) (USPN2021)

Covance Laboratories - Madison NE

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Fat by Acid Hydrolysis (FAT_AH_S)

Covance Laboratories - Madison

Food Products that are not Dairy, Egg or Cheese Products

Official Methods of Analysis of AOAC INTERNATIONAL, 18th Ed., Methods 922.06 and 954.02, AOAC INTERNATIONAL, Gaithersburg, MD, USA, (2005). (Modified)

Cheese and Cheese Products

Official Methods of Analysis of AOAC INTERNATIONAL (2005) 18th Ed., AOAC INTERNATIONAL, Gaithersburg, MD, USA, Official Method 933.05. (Modified)

Egg, Egg Products, and Mayonnaise

Official Methods of Analysis of AOAC INTERNATIONAL (2005) 18th Ed., AOAC INTERNATIONAL, Gaithersburg, MD, USA, Official Method 925.32. (Modified)

Fatty Acids Calculated as Triglycerides (FALT_S)

Covance Laboratories - Madison

Official Method No. 996.06, Official Methods of Analysis of the AOAC INTERNATIONAL (modified), 19th Ed., AOAC INTERNATIONAL: Gaithersburg, Maryland (2012).

Official Methods and Recommended Practices of the AOCS, Official methods Ce 2b-11 (2011), Ce 1h-05 (2009), Ce 1j-07 (2013), Ce 2-66 (2009), The American Oil Chemists' Society, Champaign, IL (modified).

Folic Acid by Microbiological Method (FOAN S)

Covance Laboratories - Madison

Official Methods of Analysis of AOAC INTERNATIONAL, Method 992.05 and 960.46, AOAC INTERNATIONAL, Gaithersburg, MD, USA (Modified).

"Methods of Analysis for Infant Formulas," Infant Formula Council, Atlanta, GA, Section C-2 (1985) (Modified).

Inositol (INOS_IC_S)

Covance Laboratories - Madison

Tagliaferri EG, Bonetti, G, Blake, CJ, Ion Chromatographic Determination of inositol in infant formulae and clinical products for enteral feeding. J Chromatogr A. 2000 May 26;879(2): 129-135.

* This analysis is not ISO accredited.

Printed: 26-Jul-2017 2:35 pm

Page 8 of 12



Report Number: 1877051-0

Report Date: 26-Jul-2017

Report Status: Final

1870096-0

report Status.

Supercedes:

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Method References Testing Location

Iodine by ICP-MS (IODICPMS S)

Covance Laboratories - Madison

Official Methods of Analysis of AOAC INTERNATIONAL, Current Ed., Method 2012.15, AOAC INTERNATIONAL, Gaithersburg, MD, USA.

Loss on Drying (LOD_S)

Covance Laboratories - Madison

United States Pharmacopeia, 40th Revision - National Formulary 35th Edition. USP Convention. Rockville, MD (2016). (Modified).

Niacin by Microbiological Method (NIAP S)

Covance Laboratories - Madison

Official Methods of Analysis, Methods 944.13 and 960.46, AOAC INTERNATIONAL, Gaithersburg, MD (Modified)

Nitrogen determination (MISC_SEND)

NP Analytical Laboratories

Test performed by a third party laboratory

Pantothenic Acid by Microbiological Method (PANN_S)

Covance Laboratories - Madison

Official Methods of Analysis, Methods 945.74, 992.07, and 960.46, AOAC INTERNATIONAL, Gaithersburg, MD (Modified).

Protein (N x 6.25) Dumas Method (DGEN S)

Covance Laboratories - Madison

Official Methods of Analysis of AOAC INTERNATIONAL, 18th Ed., Methods 968.06 and 992.15, AOAC INTERNATIONAL, Gaithersburg, MD, USA, (2005). (Modified)

Pyridoxine (B6A_S) Covance Laboratories - Madison

Official Methods of Analysis, Method 961.15, AOAC INTERNATIONAL (Modified).

Atkins, L., Schultz, A. S., Williams, W. L., and Frey, C. N., "Yeast Microbiological Methods for Determination of Vitamins," *Industrial and Engineering Chemistry, Analytical Edition*, *15*(2):141-144, (1943).

Riboflavin by Microbiological Method (B2FV S)

Covance Laboratories - Madison

Official Methods of Analysis, Methods 940.33 and 960.46, AOAC INTERNATIONAL, Gaithersburg, MD (Modified).

Salmonella USP (USPS2022)

Covance Laboratories - Madison NE

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

* This analysis is not ISO accredited.

Printed: 26-Jul-2017 2:35 pm Page 9 of 12



Report Number: 1877051-0

Report Date: 26-Jul-2017

Report Status: Final

Supercedes: 1870096-0

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Method References Testing Location

Selenium (SEICPMS S) Covance Laboratories - Madison

Sullivan, D., Zywicki, R., Yancey, M., "Method for the Determination of Total Selenium in a Wide Variety of Foods Using Inductively Coupled Plasma/Mass Spectrometry" Journal of the AOAC INTERNATIONAL, 96 (4): 786-794 (2013). (Modified).

Official Methods of Analysis of AOAC INTERNATIONAL, 18th Ed., AOAC INTERNATIONAL, Gaithersburg, MD, USA, Official Method 2011.19 (2011). (Modified).

Staphylococcus (USPA2022)

Covance Laboratories - Madison NE

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Thiamin by Fluorometric Method (BIDE S)

Covance Laboratories - Madison

Official Methods of Analysis, Methods 942.23, 953.17, and 957.17, AOAC INTERNATIONAL (Modified).

Total Vitamin A (VAT_CALC)

Covance Laboratories - Madison

Calculation on request.

Tryptophan (TRPLC_S)

Covance Laboratories - Madison

Official Methods of Analysis of AOAC INTERNATIONAL, AOAC International Gaithersburg, MD, USA, Official Method 988.15.

R. Schuster, "Determination of Amino Acids in Biological, Pharmaceutical, Plant and Food Samples by Automated Precolumn Derivatization and HPLC", Journal of Chromatography. 1988, 431, 271-284.

Henderson, J.W., Ricker, R.D. Bidlingmeyer, B.A., Woodward, C., "Rapid, Accurate, Sensitive, and Reproducible HPLC Analysis of Amino Acids, Amino Acid Analysis Using Zorbax Eclipse-AAA columns and the Agilent 1100 HPLC," Agilent Publication, 2000.

Henderson, J.W., Brooks, A., "Improved Amino Acid Methods using Agilent Zorbax Eclipse Plus C18 Columns for a Variety of Agilent LC Instrumentation and Separation Goals," Agilent Application Note 5990-4547 (2010).

Vitamin A (VITA_DS_S) Covance Laboratories - Madison

USP 38 - NF 33 pp 6384-6385, Dietary Supplements, Oil- and Water-Soluble Vitamins with Minerals Tablets, Vitamin A, Methods 1 and 2 (modified)

Vitamin A from Carotenes (BCAV_S)

Covance Laboratories - Madison

Calculation on request.

* This analysis is not ISO accredited.

Printed: 26-Jul-2017 2:35 pm Page 10 of 12



Report Number: 1877051-0

Report Date: 26-Jul-2017

Report Status: Final

Supercedes: 1870096-0

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Method References Testing Location

Vitamin B12 by Microbiological Method (B12F_S)

Covance Laboratories - Madison

Official Methods of Analysis, Method 952.20 and 960.46, AOAC INTERNATIONAL, Gaithersburg, MD, USA, (modified)

Methods of Analysis for Infant Formulas, Infant Formula Council, Atlanta, GA, Section C-3, (1985), (modified).

Vitamin D by LCMS (VDMS_S)

Covance Laboratories - Madison

Official Methods of Analysis of AOAC INTERNATIONAL, Current Ed., Method 2011.11, AOAC INTERNATIONAL, Gaithersburg, MD, USA.

Huang, M., Laluzerne, P., Winters, D., Sullivan, D., "Measurement of Vitamin D in Foods and Nutritional Supplements by Liquid Chromatography/Tandem Mass Spectrometry," *Journal of AOAC International*, Volume (92). No. 5:1327-1335 (2009).

Vitamin E (Natural) (LCE1_S)

Covance Laboratories - Madison

Cort, W. M., Vincente, T. S., Waysek, E. H., and Williams, B. D., Journal of Agricultural Food Chemistry, 31:1330-1333 (1983). (Modified)

Speek, A. J., Schijver, J., and Schreurs, W. H. P., Journal of Food Science, 50:121-124 (1985). (Modified)

McMurray, C. H., Blanchflower, W. J., and Rice, D. A., Journal of the Association of Official Analytical Chemists, 63: 1258-1261 (1980). (Modified)

Vitamin K1 (VKTK S) Covance Laboratories - Madison

Official Methods of Analysis, Methods 992.27, 999.15, AOAC International (Modified).

Yeast and Mold Count (USPM2021)

Covance Laboratories - Madison NE

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

* This analysis is not ISO accredited.

Printed: 26-Jul-2017 2:35 pm Page 11 of 12



Report Number: 1877051-0

Report Date: 26-Jul-2017

Report Status: Final

Supercedes: 1870096-0

Parry Nutraceuticals, Division of E.I.D. Parry (India) Ltd.

Testing Location(s)

Released on Behalf of Covance by

Covance Laboratories - Madison

Edward Ladwig - Director

Covance Laboratories Inc. 3301 Kinsman Blvd Madison WI 53704 800-675-8375





2918.01

Covance Laboratories - Madison NE

Richard Higby - Director

Covance Laboratories Inc. 2102 Wright Street Madison WI 53704 855-83-MICRO

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Covance.

* This analysis is not ISO accredited.